



		PN6	5K	125 lbs	PN10	10K	150 lbs	PN16	16K	300 lbs	PN25	20K	300 lbs	PN40	40K	600 lbs
		O.D. x PITCH x BOLTHOLE			O.D. x PITCH x BOLTHOLE			O.D. x PITCH x BOLTHOLE			O.D. x PITCH x BOLTHOLE			O.D. x PITCH x BOLTHOLE		
10 3/8"	DIN	75	50	4 X 11	90	60	4 X 14	90	60	4 X 14	90	60	4 X 14	90	60	4 X 14
	JIS	75	55	4 X 12	90	65	4 X 15	90	65	4 X 15	90	65	4 X 15	110	75	4 X 19
	ANSI															
15 1/2"	DIN	80	55	4 X 11	95	65	4 X 14	95	65	4 X 14	95	65	4 X 14	95	65	4 X 14
	JIS	80	60	4 X 12	95	70	4 X 15	95	70	4 X 15	95	70	4 X 15	115	80	4 X 19
	ANSI				89	60	4 X 16	95	67	4 X 16	95	67	4 X 16	95	67	4 X 16
20 3/4"	DIN	90	65	4 X 11	105	75	4 X 14	105	75	4 X 14	105	75	4 X 14	105	75	4 X 14
	JIS	85	65	4 X 12	100	75	4 X 15	100	75	4 X 15	100	75	4 X 15	120	85	4 X 19
	ANSI				99	70	4 X 16	117	83	4 X 20	117	83	4 X 20	117	82	4 X 19
25 1"	DIN	100	75	4 X 11	115	85	4 X 14	115	85	4 X 14	115	85	4 X 14	115	85	4 X 14
	JIS	95	75	4 X 12	125	90	4 X 19	125	90	4 X 19	125	90	4 X 19	130	95	4 X 19
	ANSI	108	80	4 X 16	108	80	4 X 16	124	89	4 X 20	124	89	4 X 20	124	89	4 X 19
32 1-1/4"	DIN	120	90	4 X 14	140	100	4 X 18	140	100	4 X 18	140	100	4 X 18	140	100	4 X 18
	JIS	115	90	4 X 15	135	100	4 X 19	135	100	4 X 19	135	100	4 X 19	140	105	4 X 19
	ANSI	118	89	4 X 16	118	89	4 X 16	133	98	4 X 20	133	98	4 X 20	133	98	4 X 19
40 1-1/2"	DIN	130	100	4 X 14	150	110	4 X 18	150	110	4 X 18	150	110	4 X 18	150	110	4 X 18
	JIS	120	95	4 X 15	140	105	4 X 19	140	105	4 X 19	140	105	4 X 19	160	120	4 X 23
	ANSI	127	98	4 X 16	127	98	4 X 16	156	114	4 X 23	156	114	4 X 23	156	114	4 X 22
50 2"	DIN	140	110	4 X 14	165	125	4 X 18	165	125	4 X 18	165	125	4 X 18	165	125	4 X 18
	JIS	130	105	4 X 15	155	120	4 X 19	155	120	8 X 19	155	120	8 X 19	165	130	8 X 19
	ANSI	152	121	4 X 20	152	121	4 X 20	165	127	8 X 20	165	127	8 X 20	165	127	8 X 19
65 2-1/2"	DIN	160	130	4 X 14	185	145	8 X 18	185	145	8 X 18	185	145	8 X 18	185	145	8 X 18
	JIS	155	130	4 X 15	175	140	4 X 19	175	140	8 X 19	175	140	8 X 19	200	160	8 X 23
	ANSI	178	140	4 X 20	178	140	4 X 20	190	149	8 X 23	190	149	8 X 23	190	149	8 X 23
80 3"	DIN	190	150	4 X 18	200	160	8 X 18	200	160	8 X 18	200	160	8 X 18	200	160	8 X 18
	JIS	180	145	4 X 19	185	150	8 X 19	200	160	8 X 23	200	160	8 X 23	210	170	8 X 23
	ANSI	190	152	4 X 20	190	152	4 X 20	210	168	8 X 23	210	168	8 X 23	210	168	8 X 23
100 4"	DIN	210	170	4 X 18	220	180	8 X 18	220	180	8 X 18	235	190	8 X 22	235	190	8 X 22
	JIS	200	165	8 X 19	210	175	8 X 19	225	185	8 X 23	225	185	8 X 23	250	205	8 X 25
	ANSI	229	190	8 X 20	229	190	8 X 20	254	200	8 X 23	254	200	8 X 23	273	216	8 X 26

QUICK REFERENCE FLANGE CHART



www.worldwidemetric.com

QUICK REFERENCE FLANGE CHART




www.worldwidemetric.com

		PN6	5K	125 lbs	PN10	10K	150 lbs	PN16	16K	300 lbs	PN25	20K	300 lbs	PN40	40K	600 lbs
		O.D. x PITCH x BOLTHOLE			O.D. x PITCH x BOLTHOLE			O.D. x PITCH x BOLTHOLE			O.D. x PITCH x BOLTHOLE			O.D. x PITCH x BOLTHOLE		
125 5"	DIN	240	200	8 X 18	250	210	8 X 18	250	210	8 X 18	270	220	8 X 26	270	220	8 X 26
	JIS	235	200	8 X 19	250	210	8 X 23	270	225	8 X 25	270	225	8 X 25	300	250	8 X 27
	ANSI	254	216	8 X 23	254	216	8 X 23	279	235	8 X 23	279	235	8 X 23	330	266	8 X 29
150 6"	DIN	265	225	8 X 18	285	240	8 X 22	285	240	8 X 22	300	250	8 X 26	300	250	8 X 26
	JIS	265	230	8 X 19	280	240	8 X 23	305	260	12 X 25	305	260	12 X 25	355	295	12 X 33
	ANSI	279	241	8 X 23	279	241	8 X 23	318	270	12 X 23	318	270	12 X 23	355	292	12 X 29
175	DIN				315	270	8 X 22	315	270	8 X 22	330	280	12 X 26	350	295	12 X 30
	JIS	300	260	8 X 23	305	265	12 X 23									
	ANSI															
200 8"	DIN	320	280	8 X 18	340	295	8 X 22	340	295	12 X 22	360	310	12 X 26	375	320	12 X 30
	JIS	320	280	8 X 23	330	290	12 X 23	350	305	12 X 25	350	305	12 X 25	405	345	12 X 33
	ANSI	343	298	8 X 23	343	298	8 X 23	381	330	12 X 23	381	330	12 X 23	419	349	12 X 32
250 10"	DIN	375	335	12 X 18	395	350	12 X 22	405	355	12 X 26	425	370	12 X 30	450	385	12 X 33
	JIS	385	345	12 X 23	400	355	12 X 25	430	380	12 X 27	430	380	12 X 27	475	410	12 X 33
	ANSI	406	362	12 X 26	406	362	12 X 26	445	387	16 X 32	445	387	16 X 32	508	432	16 X 35
300 12"	DIN	440	395	12 X 22	445	400	12 X 22	460	410	12 X 26	485	430	16 X 30	515	450	16 X 33
	JIS	430	390	12 X 23	445	400	16 X 25	480	430	16 X 27	480	430	16 X 27	540	470	16 X 39
	ANSI	482	431	12 X 26	482	431	12 X 26	520	450	16 X 35	520	450	16 X 35	558	489	20 X 35
350 14"	DIN	490	445	12 X 22	505	460	16 X 22	520	470	16 X 26	555	490	16 X 33	580	510	16 X 36
	JIS	480	435	12 X 25	490	445	16 X 25	540	480	16 X 33	540	480	16 X 33	585	515	16 X 39
	ANSI	533	476	12 X 29	533	476	12 X 28	584	514	20 X 35	584	514	20 X 35	603	527	20 X 38
400 16"	DIN	540	495	16 X 22	565	515	16 X 26	580	525	16 X 30	620	550	16 X 36	660	585	16 X 39
	JIS	540	495	16 X 25	560	510	16 X 27	605	540	16 X 33	605	540	16 X 33	645	570	16 X 39
	ANSI	597	540	16 X 29	597	540	16 X 29	648	571	20 X 38	648	571	20 X 38	685	603	20 X 42
450 18"	DIN	595	550	16 X 22	615	565	20 X 26	640	585	20 X 30	670	600	20 X 36	685	610	20 X 39
	JIS	605	555	16 X 25	620	565	20 X 27	675	605	20 X 33	675	605	20 X 33			
	ANSI				635	578	16 X 32	710	629	24 X 35	710	629	24 X 35	745	654	20 X 45
500 20"	DIN	645	600	20 X 22	670	620	20 X 26	715	650	20 X 33	730	660	20 X 36	755	670	20 X 42
	JIS	655	605	20 X 25	675	620	20 X 27	730	660	20 X 33	730	660	20 X 33			
	ANSI	698	635	20 X 32	698	635	20 X 32	775	685	24 X 38	775	685	24 X 38	812	733	24 X 45

		PN6	5K	125 lbs	PN10	10K	150 lbs	PN16	16K	300 lbs	PN25	20K	300 lbs	PN40	40K	600 lbs
		O.D. x PITCH x BOLTHOLE			O.D. x PITCH x BOLTHOLE			O.D. x PITCH x BOLTHOLE			O.D. x PITCH x BOLTHOLE			O.D. x PITCH x BOLTHOLE		
550 22"	DIN															
	JIS	720	665	20 X 27	745	680	20 X 33	795	720	20 X 39	795	720	20 X 39			
	ANSI				749	692	20 X 35									
600 24"	DIN	755	705	20 X 26	780	725	20 X 30	840	770	20 X 36	845	770	20 X 39	890	795	20 X 48
	JIS	770	715	20 X 27	795	730	24 X 33	845	770	24 X 39	845	770	24 X 39			
	ANSI				813	749	20 X 35	915	813	24 X 42	915	813	24 X 48	940	838	24 X 51
650 26"	DIN															
	JIS	825	770	24 X 27	845	780	24 X 33	895	820	24 X 39	945	850	24 X 48			
	ANSI				870	806	24 X 35									
700 28"	DIN	860	810	24 X 26	895	840	24 X 30	910	840	24 X 36	960	875	24 X 42			
	JIS	875	820	24 X 27	905	840	24 X 33	960	875	24 X 42	995	900	24 X 48			
	ANSI															
750 30"	DIN															
	JIS	945	880	24 X 33	970	900	24 X 33	1020	935	24 X 42	1080	970	24 X 56			
	ANSI				984	914	28 X 35									
800 32"	DIN	975	920	24 X 30	1015	950	24 X 33	1025	950	24 X 39	1085	990	24 X 48			
	JIS	995	930	24 X 33	1020	950	28 X 33	1085	990	24 X 48	1140	1030	24 X 56			
	ANSI															
850 34"	DIN															
	JIS	1045	980	24 X 33	1070	1000	28 X 33	1135	1040	24 X 48	1200	1090	24 X 56			
	ANSI				1111	1029	32 X 41									
900 36"	DIN	1075	1020	24 X 30	1115	1050	28 X 33	1125	1050	28 X 39	1185	1090	28 X 48			
	JIS	1095	1030	24 X 33	1120	1050	28 X 33	1185	1090	28 X 48	1250	1140	28 X 56			
	ANSI				1168	1086	32 X 41									
950 38"	DIN															
	JIS															
	ANSI															
1000 40"	DIN	1175	1120	28 X 30	1230	1160	28 X 36	1255	1170	28 X 42	1320	1210	28 X 56			
	JIS	1195	1130	28 X 33	1235	1160	28 X 39	1320	1210	28 X 56						
	ANSI															

Copyright 2013, World Wide Metric Inc. All Rights Reserved.


QUICK REFERENCE FLANGE CHART



www.worldwidemetric.com



QUICK REFERENCE FLANGE CHART



www.worldwidemetric.com

		PN6	5K	125 lbs	PN10	10K	150 lbs	PN16	16K	300 lbs	PN25	20K	300 lbs	PN40	40K	600 lbs
		O.D. x PITCH x BOLTHOLE			O.D. x PITCH x BOLTHOLE			O.D. x PITCH x BOLTHOLE			O.D. x PITCH x BOLTHOLE			O.D. x PITCH x BOLTHOLE		
1050 42"	DIN															
	JIS															
	ANSI				1346	1257	32 X 41									
1100 44"	DIN															
	JIS	1305	1240	28 X 33	1345	1270	28 X 39	1420	1310	32 X 56						
	ANSI															
1200 48"	DIN	1405	1340	32 X 33	1455	1380	32 X 39	1485	1390	32 X 48						
	JIS	1420	1350	32 X 33	1465	1380	32 X 39	1530	1420	32 X 56						
	ANSI															
1300 52"	DIN															
	JIS							1645	1530	32 X 62						
	ANSI															
1350 54"	DIN															
	JIS	1575	1505	32 X 33	1630	1540	36 X 45	1700	1590	32 X 62						
	ANSI															
1400 56"	DIN	1630	1560	36 X 36	1675	1590	36 X 42	1685	1590	36 X 48						
	JIS							1755	1640	36 X 62						
	ANSI															
1500 60"	DIN							1865	1750	36 X 62						
	JIS	1730	1660	36 X 33	1795	1700	40 X 45									
	ANSI															
1600 64"	DIN	1830	1760	40 X 36	1915	1820	40 X 48	1930	1820	40 X 56						
	JIS															
	ANSI															
1800 72"	DIN	2045	1970	44 X 39	2115	2020	44 X 48	2130	2020	44 X 56						
	JIS															
	ANSI															
2000 80"	DIN	2265	2180	48 X 42	2325	2230	48 X 48	2345	2230	48 X 62						
	JIS															
	ANSI															